




Motor: Mercury 300XXL Verado

PERFORMANCE			
RPM	MPH	GPH	MPG
1000	4.90	0.90	5.40
2000	7.90	2.80	5.40
3000	10.10	7.20	1.40
3500	18.20	8.70	2.10
4000	25.40	10.50	2.40
4500	30.70	13.50	2.30
5000	34.80	17.70	2.00
5500	39.60	23.30	1.70
6000	44.70	28.20	1.60
6320	46.60	29.80	1.60
ACCELERATON			
0-20 Mph 5.18		Sec.	
TEST CONDITIONS			
NUMBER OF PEOPLE			2
AIR TEMP (Fahrenheit)		78º F	
ELEVATION (IN FEET ABOVE SEA LEVEL)		0	
WIND VELOCITY		5~8 MPH	



MANUFACTURER INFO			
NAME:	Sailfish Boats		
STREET:	P0 Box 1899		
CITY, STATE, ZIP:	Cairo, GA 39828		
PHONE:	229-377-2125		
FAX:	229-377-1855		
WEBSITE:	www.sailfishboats.com		
	BOAT DETAILS		
BOAT MODEL	242CC		
LENGTH	24'		
BEAM	9'		
APROX WET WEIGHT	5600 lbs		
MAXIMUM HP	300 HP		
FUEL CAPACITY	153 gal		
E	NGINE DETAILS		
ENGINE MODEL/S	300XXL Verado		
HORSEPOWER	300 HP		
INDUCTION	INDUCTION EFI		
DISPLACEMENT 2.6L			
WEIGHT	667 Lbs		
GEAR RATIO	1.75:1 or 1.85:1		
ENGIN	IE MOUNTING HEIGHT		
MOUNTING HOLE POSITION	#3		
PROPELLER/S			
SERIES	Enertia [®]		
PITCH	17		
MERCURY PART # (sgl/twin)	898994A46		
PROPELLER MATERIAL	POLISHED STAINLESS STEEL		
COMMENTS			
BOAT EQUIPPED WITH T-TOP, FULL TANK OF FUEL, TWO PERSONS, MISC.			

BOAT EQUIPPED WITH T-TOP, FULL TANK OF FUEL, TWO PERSONS, MISC SAFETY AND TEST GEAR (APPROX 100 LBS)


Notice to Consumer: The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/ or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Seminole Marine Inc. reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice.





Motors: Single Yamaha F300UCA

PERFORMANCE				
RPM	MPH	GPH	MPG	
1000	5.40	1.20	4.50	
1500	7.40	2.10	3.52	
2000	8.80	3.50	2.51	
2500	10.10	5.10	1.98	
3000	13.00	6.40	2.03	
3500	27.20	8.30	3.28	
4000	32.70	11.20	2.92	
4500	37.10	14.60	2.54	
5000	41.70	18.20	2.29	
5500	46.00	22.80	2.02	
5900	49.90	25.60	1.95	
	ACCELERATON			
TIME TO PLANE 3.36		36		
TEST CONDITIONS				
NUMBER OF PEOPLE		2		
AIR / WATER TEMP (Fahrenheit)		94º F / 92º F		
ELEVATION (IN FEET ABOVE SEA LEVEL)			194'	
WIND VELOCITY 5 ~ 10 MF			5 ~ 10 MPH	



MANUFACTURER INFO			
NAME:	Sailfish Boats		
STREET:	PO Box 1899		
CITY, STATE, ZIP:	Cairo, GA 39828		
PHONE:	229-377-2125		
FAX:	229-377-1855		
WEBSITE:	www.sailfishboats.com		
	BOAT DETAILS		
BOAT MODEL	242CC		
LENGTH	24'		
BEAM	9'		
APROX WET WEIGHT	5600lbs		
MAXIMUM HP	300 Hp		
FUEL CAPACITY	146 Gal		
	ENGINE DETAILS		
ENGINE MODEL/S	F300UCA		
HORSEPOWER	300 HP		
INDUCTION	EFI		
DISPLACEMENT	ENT 4.2 L		
WEIGHT 571 lbs			
GEAR RATIO	1.75		
ENGIN	NE MOUNTING HEIGHT		
MOUNTING HOLE POSITION	#2		
PROPELLER/S			
SERIES	Saltwater Series II		
DIAMETER/PITCH	15-1/2 x 17		
YAMAHA PART # (sgl/twin)	6D0-45978-00-00		
PROPELLER MATERIAL	POLISHED STAINLESS STEEL		
COMMENTS			
DOAT FOUIDDED WITH TOD 1/2 TANK OF FUEL TWO DEDCOME MICE			

BOAT EQUIPPED WITH T-TOP, 1/2 TANK OF FUEL, TWO PERSONS, MISC.

SAFETY AND TEST GEAR

(APPROX 100 LBS)


Notice to Consumer: The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/ or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Seminole Marine Inc. reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice.





Motors: Twin Yamaha F115TXR

PERFORMANCE				
RPM	MPH	GPH	MPG	
1000	4.2	1.2	3.50	
1500	6.1	2.0	3.05	
2000	7.3	2.7	2.70	
2500	8.5	4.2	2.02	
3000	9.1	6.1	1.49	
3500	10.7	8.2	1.31	
4000	23.8	10.5	2.27	
4500	29.0	12.1	2.40	
5000	34.00	13.90	2.45	
5500	37.4	17.2	2.17	
6000	40.70	22.00	1.85	
ACCELERATON				
TIME TO	TIME TO PLANE 7.22			
	TEST CONDITIONS			
NUMBER OF PEOPLE			3	
AIR / WATER TEMP (Fahrenheit)			88º F / 76º F	
ELEVATION (IN FEET ABOVE SEA LEVEL)			135'	
WIND VELOCITY			0 ~ 5 MPH	



MANUFACTURER INFO			
NAME:	Sailfish Boats		
STREET:	PO Box 1899		
CITY, STATE, ZIP:	Cairo, GA 39828		
PHONE:	229-377-2125		
FAX:	229-377-1855		
WEBSITE:	www.sailfishboats.com		
	BOAT DETAILS		
BOAT MODEL	242CC		
LENGTH	24'		
BEAM	9'		
APROX WET WEIGHT	5600lbs		
MAXIMUM HP	300 Hp		
FUEL CAPACITY	146 Gal		
	ENGINE DETAILS		
ENGINE MODEL/S	F115TXR / LF115TXR		
HORSEPOWER	115 HP		
INDUCTION	EFI		
DISPLACEMENT	106.2 cu.in.		
WEIGHT	412 lbs		
GEAR RATIO	2.15		
ENGINE MOUNTING HEIGHT			
MOUNTING HOLE POSITION	#2		
PROPELLER/S			
SERIES	Performance Series		
DIAMETER/PITCH	13-1/4 x 16		
YAMAHA PART # (sgl/twin)	MAR-GYT3B-V4-16 / MAR-GYT3B-L4-16		
PROPELLER MATERIAL	POLISHED STAINLESS STEEL		
COMMENTS			

BOAT EQUIPPED WITH T-TOP, FULL TANK OF FUEL, THREE PERSONS, MISC. SAFETY AND TEST GEAR (APPROX 100 LBS)


Notice to Consumer: The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/ or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Seminole Marine Inc. reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice.





Motors: Twin Yamaha F150TXR

PERFORMANCE			
RPM	MPH	GPH	MPG
1000	5.20	1.30	4.16
1500	7.70	2.10	3.73
2000	8.80	4.00	2.23
2500	11.10	6.50	1.70
3000	22.80	7.50	3.06
3500	31.00	10.80	2.87
4000	35.60	12.50	2.85
4500	39.70	15.70	2.54
5000	45.40	21.60	2.11
5500	48.60	25.20	1.93
6000	52.30	30.20	1.73
ACCELERATON			
TIME TO PLANE 3.40		40	
TEST CONDITIONS			
NUMBER OF PEOPLE		2	
AIR / WATER TEMP (Fahrenheit)		84º F / 87º F	
ELEVATION (IN FEET ABOVE SEA LEVEL)		135'	
WIND VELOCITY 5 ~ 10 MF			5 ~ 10 MPH



MANUFACTURER INFO			
NAME:	Sailfish Boats		
STREET:	PO Box 1899		
CITY, STATE, ZIP:	Cairo, GA 39828		
PHONE:	229-377-2125		
FAX:	229-377-1855		
WEBSITE:	www.sailfishboats.com		
	BOAT DETAILS		
BOAT MODEL	242CC		
LENGTH	24'		
BEAM	9'		
APROX WET WEIGHT	5600lbs		
MAXIMUM HP	300 Hp		
FUEL CAPACITY	146 Gal		
E	ENGINE DETAILS		
ENGINE MODEL/S	F150TXR		
HORSEPOWER	150 HP		
INDUCTION	EFI		
DISPLACEMENT	163 cu.in.		
WEIGHT 475 lbs			
GEAR RATIO	2.00		
ENGINE MOUNTING HEIGHT			
MOUNTING HOLE POSITION	#2		
PROPELLER/S			
SERIES	Performance Series		
DIAMETER/PITCH	14-1/4 x 20 SS		
YAMAHA PART # (sgl/twin)	MAR-GYT3B-V6-20 / MAR-GYT3B-L6-20		
PROPELLER MATERIAL	POLISHED STAINLESS STEEL		
COMMENTS			
DOAT FOUIDDED WITH TOD 2/7 TANK OF FUEL TWO DEDCOME MICC			

BOAT EQUIPPED WITH T-TOP, 2/3 TANK OF FUEL, TWO PERSONS, MISC.
SAFETY AND TEST GEAR
(APPROX 100 LBS)


Notice to Consumer: The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/ or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Seminole Marine Inc. reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice.





Motors: Twin Yamaha F150XB

PERFORMANCE			
RPM	MPH	GPH	MPG
1000	6.0	1.6	3.75
1500	7.8	2.7	2.89
2000	8.9	4.8	1.85
2500	11.6	7.2	1.61
3000	25.80	8.60	3.00
3500	31.3	11.5	2.72
4000	37.1	15.2	2.44
4500	42.0	19.8	2.12
5000	46.3	24.6	1.88
5500	51.3	32.3	1.59
5800	51.80	32.80	1.58
	ACCELERATON		
TIME TO	TIME TO PLANE 4.48		48
	TEST CONDITIONS		
NUMBER OF PEOPLE		2	
AIR / WATER TEMP (Fahrenheit)		84º F / 87º F	
ELEVATION (IN FEET ABOVE SEA LEVEL) 135'			135'
WIND VELOCITY 5 ~ 10 MPH			5 ~ 10 MPH



MANUFACTURER INFO			
NAME:	Sailfish Boats		
STREET:	PO Box 1899		
CITY, STATE, ZIP:	Cairo, GA 39828		
PHONE:	229-377-2125		
FAX:	229-377-1855		
WEBSITE:	www.sailfishboats.com		
	BOAT DETAILS		
BOAT MODEL	242CC		
LENGTH	24'		
BEAM	9'		
APROX WET WEIGHT	5600lbs		
MAXIMUM HP	300 Hp		
FUEL CAPACITY	146 Gal		
E	ENGINE DETAILS		
ENGINE MODEL/S	F150XB (LH & RH)		
HORSEPOWER	150 HP		
INDUCTION	EFI		
DISPLACEMENT	163 cu.in.		
WEIGHT	475 lbs		
GEAR RATIO	2.00		
ENGIN	IE MOUNTING HEIGHT		
MOUNTING HOLE POSITION	#2		
PROPELLER/S			
SERIES	Performance Series		
DIAMETER/PITCH	14-1/4 x 20 SS		
YAMAHA PART # (sgl/twin)	MAR-GYT3B-V6-20 / MAR-GYT3B-L6-20		
PROPELLER MATERIAL	POLISHED STAINLESS STEEL		
COMMENTS			

BOAT EQUIPPED WITH HARD TOP, 3/4 TANK OF FUEL, TWO PERSONS, MISC. SAFETY AND TEST GEAR (APPROX 100 LBS)

Notice to Consumer: The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/ or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Seminole Marine Inc. reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice.