




Sailfish 290 CC - Performance Bulletin

Motors: Twin Mercury 300XL Verado

PERFORMANCE		
RPM	MPH	GPH
1000	4.40	2.20
2000	9.30	6.00
3000	17.60	12.00
3500	30.10	16.40
4000	35.40	21.70
4500	41.10	25.70
5000	44.50	34.60
5500	50.00	41.10
6000	53.80	50.10
6250	57.50	59.60
ACCELERATION		
0-20 Mph		4.7 Sec
TEST CONDITIONS		
NUMBER OF PEOPLE		
AIR TEMP (Fahrenheit)		
ELEVATION (IN FEET ABOVE SEA LEVEL)		
WIND VELOCITY		



MANUFACTURER INFO	
NAME:	Sailfish Boats
STREET:	PO Box 1899
CITY, STATE, ZIP:	Cairo, GA 39828
PHONE:	229-377-2125
FAX:	229-377-1855
WEBSITE:	www.sailfishboats.com
BOAT DETAILS	
BOAT MODEL	290CC
LENGTH	28' 6"
BEAM	9'
APPROX WET WEIGHT	8000 lbs
MAXIMUM HP	600 HP
FUEL CAPACITY	240 gal
ENGINE DETAILS	
ENGINE MODEL/S	300 XL Verado
HORSEPOWER	300 HP
INDUCTION	EFI
DISPLACEMENT	2.6L
WEIGHT	657 Lbs
GEAR RATIO	1:75:1 or 1.85:1
ENGINE MOUNTING HEIGHT	
MOUNTING HOLE POSITION	#3
PROPELLER/S	
SERIES	Mirage® Plus
PITCH	19
MERCURY PART # (sgl/twin)	13700A46
PROPELLER MATERIAL	POLISHED STAINLESS STEEL
COMMENTS	
BOAT EQUIPPED WITH HARDTOP, 22 GAL OF FUEL, TWO PERSONS, MISC. SAFETY AND TEST GEAR (APPROX 100 LBS)	

Notice to Consumer: The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Seminole Marine Inc. reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice.

FISHING FOCUSED. FAMILY FRIENDLY.™


Seminole Marine Group | sailfishboats.com



Sailfish 290 CC - Performance Bulletin

Motors: Twin Yamaha F250XCA

PERFORMANCE			
RPM	MPH	GPH	MPG
1000	6.5	2.7	2.41
1500	8.5	4.4	1.93
2000	11.2	7.4	1.51
2500	17.9	10.1	1.77
3000	27.20	12.80	2.13
3500	33.5	16.6	2.02
4000	38.4	22.0	1.75
4500	43.6	28.3	1.54
5000	48.7	38.0	1.28
5500	53.8	47.0	1.14
6000	56.10	49.80	1.13
ACCELERATION			
TIME TO PLANE		4.35 seconds	
TEST CONDITIONS			
NUMBER OF PEOPLE			2
AIR / WATER TEMP (Fahrenheit)			60° F / 65° F
ELEVATION (IN FEET ABOVE SEA LEVEL)			Sea Level
WIND VELOCITY			10-15 MPH



MANUFACTURER INFO	
NAME:	Sailfish Boats
STREET:	PO Box 1899
CITY, STATE, ZIP:	Cairo, GA 39828
PHONE:	229-377-2125
FAX:	229-377-1855
WEBSITE:	www.sailfishboats.com
BOAT DETAILS	
BOAT MODEL	290CC
LENGTH	28' 6"
BEAM	9'
APPROX WET WEIGHT	8000 LBS
MAXIMUM HP	600 HP
FUEL CAPACITY	225 gal
ENGINE DETAILS	
ENGINE MODEL/S	F250XCA/LF250XCA
HORSEPOWER	250 HP
INDUCTION	EFI
DISPLACEMENT	4.2 L
WEIGHT	562 lbs
GEAR RATIO	1.75
ENGINE MOUNTING HEIGHT	
MOUNTING HOLE POSITION	#3
PROPELLER/S	
SERIES	Saltwater Series II-SDS
DIAMETER/PITCH	15-1/4 x 19
YAMAHA PART # (sgl/twin)	6CE-45970-00-00 / 6CF-45970-00-00
PROPELLER MATERIAL	POLISHED STAINLESS STEEL
COMMENTS	
BOAT EQUIPPED WITH HARDDTOP, 1/2 TANK FUEL, TWO PERSONS, MISC. SAFETY AND TEST GEAR (APPROX 100 LBS)	

Notice to Consumer: The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Seminole Marine Inc. reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice.

FISHING FOCUSED. FAMILY FRIENDLY.™


Seminole Marine Group | sailfishboats.com



Sailfish 290 CC - Performance Bulletin

Motors: Twin Yamaha F300XCA

PERFORMANCE			
RPM	MPH	GPH	MPG
1000	6.0	2.7	2.22
1500	8.7	4.3	2.02
2000	12.0	6.7	1.79
2500	21.0	9.7	2.17
3000	28.70	12.90	2.23
3500	34.2	16.8	2.04
4000	39.0	21.8	1.79
4500	43.0	27.6	1.56
5000	47.6	33.4	1.43
5500	53.4	44.0	1.21
6000	58.20	53.20	1.09
ACCELERATION			
TIME TO PLANE		3.17 seconds	
TEST CONDITIONS			
NUMBER OF PEOPLE			2
AIR / WATER TEMP (Fahrenheit)			60° F / 65° F
ELEVATION (IN FEET ABOVE SEA LEVEL)			Sea Level
WIND VELOCITY			10-15 MPH



MANUFACTURER INFO	
NAME:	Sailfish Boats
STREET:	PO Box 1899
CITY, STATE, ZIP:	Cairo, GA 39828
PHONE:	229-377-2125
FAX:	229-377-1855
WEBSITE:	www.sailfishboats.com
BOAT DETAILS	
BOAT MODEL	290CC
LENGTH	28' 6"
BEAM	9'
APROX WET WEIGHT	8000 LBS
MAXIMUM HP	600 HP
FUEL CAPACITY	225 gal
ENGINE DETAILS	
ENGINE MODEL/S	F300XCA/LF300XCA
HORSEPOWER	300 HP
INDUCTION	EFI
DISPLACEMENT	4.2 L
WEIGHT	562 lbs
GEAR RATIO	1.75
ENGINE MOUNTING HEIGHT	
MOUNTING HOLE POSITION	#3
PROPELLER/S	
SERIES	Saltwater Series II-SDS
DIAMETER/PITCH	15-1/4 x 19
YAMAHA PART # (sgl/twin)	6CE-45970-00-00 / 6CF-45970-00-00
PROPELLER MATERIAL	POLISHED STAINLESS STEEL
COMMENTS	
BOAT EQUIPPED WITH HARDDTOP, 1/4 TANK FUEL, TWO PERSONS, MISC. SAFETY AND TEST GEAR (APPROX 100 LBS)	

Notice to Consumer: The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Seminole Marine Inc. reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice.

FISHING FOCUSED. FAMILY FRIENDLY.™

Seminole Marine Group | sailfishboats.com

SF12122013Z